



Asymptomatic palatine swelling with rapid worsening of young children

Julien Bouquet, Jérémie Bettoni, Stéphanie Dakpé, Sylvie Testelin

► To cite this version:

Julien Bouquet, Jérémie Bettoni, Stéphanie Dakpé, Sylvie Testelin. Asymptomatic palatine swelling with rapid worsening of young children. *Journal of Stomatology, Oral and Maxillofacial Surgery*, 2021, 122 (3), pp.325-326. 10.1016/j.jormas.2020.09.010 . hal-03598626

HAL Id: hal-03598626

<https://u-picardie.hal.science/hal-03598626>

Submitted on 24 May 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

1 **Title**

2 Asymptomatic palatine swelling with rapid worsening of young children

3

4 **Authors:**

5 Julien BOUQUET, M.D.1 ; Jeremie BETTONI, M.D.1 ; Stephanie DAKPE, M.D.-

6 Ph.D.1 Sylvie TESTELIN, M.D.-Ph.D.1

7

8 1-Maxillo-facial surgery department, Amiens-Picardie University Hospital, avenue

9 Laennec, 80000 Amiens, France.

10

11

12

13 **Corresponding author :**

14 BOUQUET Julien

15 Maxillo-facial surgery department,

16 Amiens-Picardie University Hospital,

17 Avenue Laennec, 80000 Amiens, France

18 Julienbouquet2@hotmail.com

19

20

21

22 **Manuscript**

23

24 **Observation**

25

26 A 2-year-old child without a medical history is referred to the paediatric emergency
27 department for advice regarding the aggravation of a right palatal swelling that
28 appeared 3 days earlier. In his letter, the attending physician reports the notion of a
29 suspicion of a primary varicella-zoster-virus infection dating back a week with the
30 initiation of a probabilistic antibiotic therapy with amoxicillin-clavulanic acid (1 dose
31 weight*3 per day) 72 hours ago, when this palatal mass was discovered, suggesting
32 serous dental cellulitis.

33 Clinically, the child presents a well-limited, painless right palatal mass that slightly
34 crosses the midline and respecting the palatal veil. This tumour is indurated, non-
35 renitent and non-inflammatory (Fig. 1). It presents no dietary difficulties but appears
36 very tired. No dental mobility or pain on percussion or cold test is found.

37 In view of the atypical history of the disease and the prospect of an injected imaging
38 exam to complete your observation, you decide to carry out a biological assessment
39 (blood count, CRP, kidney function, coagulation test). 30 minutes later, the biologist
40 who wishes to personally give you the results calls you urgently. The child presents
41 anemia at 7.1 g/dl (11<N<14), thrombocytopenia at 22,000 per mm³ (200<N<490),
42 hyperleukocytosis at 76,000 per mm³ (5,000<N<15,000) with a blood smear
43 reporting 48% myeloid blasts.

44

45 **What is your diagnosis ?**

46

47 **Response**

48

49 It is a Myeloid Sarcoma (MS) of the right maxilla (= solid tumour with extra-myeloid
50 cells), which in this observation is expressed in the context of acute myeloblastic
51 leukemia with non-hyper-leukocyte t(8;21) translocation.

52

53 **Discussion**

54

55 Myeloid sarcoma (MS) is a rare, localized tumour comprising immature granulocytic
56 cells. It is also called Chloroma because of its green colour induced by the
57 concentration of myeloperoxidase[1]. It may occur in pre-existing acute myeloid
58 leukaemia (AML) (3-8%), before the onset of AML (0.6%) or in association with
59 other myelo-proliferative conditions such as blast crisis in chronic myeloid leukaemia
60 and myelodysplastic Syndrome[2,3]. MS is primarily of soft tissue interest and
61 remains extremely rare in the head and neck area[4]. Nevertheless, its knowledge is
62 essential as it represents a real diagnostic and therapeutic emergency.

63 Confirmation of the diagnosis of MS is based on the performance of flow cytometer
64 of circulating blood and bone marrow, a myelogram, biopsy of the lesion and genetic
65 research since many mutations may be involved. Rapid determination of the
66 phenotype is crucial in order to best adapt the treatment protocol. The assessment
67 must be completed by an imaging examination (CT scan and/or magnetic resonance

68 imaging with injection of contrast agent) before the introduction of any therapy[2,5].
69 These examinations will allow the assessment of tumour anatomic ratios and will
70 serve as reference examinations for the evaluation of the efficacy of systemic
71 treatments. Indeed, the prognosis of MS depends essentially on the initial context in
72 which it is diagnosed (age, presence or not of AML)[5]. MS management is based on
73 the rapid introduction of systemic chemotherapy, surgery being only a catch-up
74 solution in case of persistent tumour remnants at the end of treatment.

75

76 **Keywords : Myeloid sarcoma, Chloroma, Acute Myeloid Leukaemia ;**
77 **Extramedullary ; Oral tumors.**

78

79

80 **Conflict of Interest Statement: None**

81

82

83

84

85

86

87

88

89

90

References

- [1] Ficarra G, Silverman S, Quivey JM, Hansen LS, Giannotti K. Granulocytic sarcoma (chloroma) of the oral cavity: A case with aleukemic presentation. *Oral Surgery, Oral Medicine, Oral Pathology* 1987;63:709–14. [https://doi.org/10.1016/0030-4220\(87\)90375-6](https://doi.org/10.1016/0030-4220(87)90375-6).
- [2] Siraj F, Kaur M, Dalal V, Khanna A, Khan AA. Myeloid sarcoma: a report of four cases at unusual sites. *Ger Med Sci* 2017;15. <https://doi.org/10.3205/000244>.
- [3] Roby BB, Drehner D, Sidman JD. Granulocytic sarcoma of pediatric head and neck: An institutional experience. *International Journal of Pediatric Otorhinolaryngology* 2013;77:1364–6. <https://doi.org/10.1016/j.ijporl.2013.06.008>.
- [4] Papamantios MK, Kolokotronis AE, Skulakis HE, Fericean A-MA, Zorba MT, Matiakis AT. Acute Myeloid Leukaemia Diagnosed by Intra-Oral Myeloid Sarcoma. A Case Report. *Head Neck Pathol* 2010;4:132–5. <https://doi.org/10.1007/s12105-010-0163-9>.
- [5] Avni B, Koren-Michowitz M. Myeloid Sarcoma: Current Approach and Therapeutic Options. *Ther Adv Hematol* 2011;2:309–16. <https://doi.org/10.1177/2040620711410774>.

114 **Captions to illustrations**

115

116 **Figure 1 :** Clinical view of the palatine swelling

117

118 **Figure 2 :** Coronal T1 with gadolinium MRI acquisition showing the palatine mass of 32mm
119 diameter whithout mass effect.



