

Asymptomatic palatine swelling with rapid worsening of young children

Julien Bouquet, Jérémie Bettoni, Stéphanie Dakpé, Sylvie Testelin

▶ To cite this version:

Julien Bouquet, Jérémie Bettoni, Stéphanie Dakpé, Sylvie Testelin. Asymptomatic palatine swelling with rapid worsening of young children. Journal of Stomatology, Oral and Maxillofacial Surgery, 2021, 122 (3), pp.325-326. 10.1016/j.jormas.2020.09.010. hal-03598626

HAL Id: hal-03598626 https://u-picardie.hal.science/hal-03598626

Submitted on 24 May 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



1	Title
2	Asymptomatic palatine swelling with rapid worsening of young children
3	
4	Authors:
5	Julien BOUQUET, M.D.1; Jeremie BETTONI, M.D.1; Stephanie DAKPE, M.D
6	Ph.D.1 Sylvie TESTELIN, M.DPh.D.1
7	
8	1-Maxillo-facial surgery department, Amiens-Picardie University Hospital, avenue
9	Laennec, 80000 Amiens, France.
10	
11	
12	
13	Corresponding author:
14	BOUQUET Julien
15	Maxillo-facial surgery department,
16	Amiens-Picardie University Hospital,
17	Avenue Laennec, 80000 Amiens, France
18	Julienbouquet2@hotmail.com
19	
20	
21	

22 Manuscript

23

24

Observation

25

A 2-year-old child without a medical history is referred to the paediatric emergency 26 department for advice regarding the aggravation of a right palatal swelling that 27 appeared 3 days earlier. In his letter, the attending physician reports the notion of a 28 suspicion of a primary varicella-zoster-virus infection dating back a week with the 29 initiation of a probabilistic antibiotic therapy with amoxicillin-clavulanic acid (1 dose 30 weight*3 per day) 72 hours ago, when this palatal mass was discovered, suggesting 31 serous dental cellulitis. 32 33 Clinically, the child presents a well-limited, painless right palatal mass that slightly 34 crosses the midline and respecting the palatal veil. This tumour is indurated, non-35 renitent and non-inflammatory (Fig. 1). It presents no dietary difficulties but appears 36 very tired. No dental mobility or pain on percussion or cold test is found. In view of the atypical history of the disease and the prospect of an injected imaging 37 exam to complete your observation, you decide to carry out a biological assessment 38 39 (blood count, CRP, kidney function, coagulation test). 30 minutes later, the biologist who wishes to personally give you the results calls you urgently. The child presents 40 anemia at 7.1 g/dl (11<N<14), thrombocytopenia at 22,000 per mm3 (200<N<490), 41 hyperleukocytosis at 76,000 per mm3 (5,000<N<15,000) with a blood smear 42 reporting 48% myeloid blasts. 43

45 What is your diagnosis?

46

47 **Response**

48

- It is a Myeloid Sarcoma (MS) of the right maxilla (= solid tumour with extra-myeloid cells), which in this observation is expressed in the context of acute myeloblastic
- 51 leukemia with non-hyper-leukocyte t(8;21) translocation.

52

53

Discussion

54

Myeloid sarcoma (MS) is a rare, localized tumour comprising immature granulocytic 55 cells. It is also called Chloroma because of its green colour induced by the 56 concentration of myeloperoxidase[1]. It may occur in pre-existing acute myeloid 57 leukaemia (AML) (3-8%), before the onset of AML (0.6%) or in association with 58 other myelo-proliferative conditions such as blast crisis in chronic myeloid leukaemia 59 and myelodysplastic Syndrome[2,3]. MS is primarily of soft tissue interest and 60 remains extremely rare in the head and neck area[4]. Nevertheless, its knowledge is 61 essential as it represents a real diagnostic and therapeutic emergency. 62 Confirmation of the diagnosis of MS is based on the performance of flow cytometer 63 of circulating blood and bone marrow, a myelogram, biopsy of the lesion and genetic 64 research since many mutations may be involved. Rapid determination of the 65 phenotype is crucial in order to best adapt the treatment protocol. The assessment 66 67 must be completed by an imaging examination (CT scan and/or magnetic resonance

68	imaging with injection of contrast agent) before the introduction of any therapy[2,5].
69	These examinations will allow the assessment of tumour anatomic ratios and will
70	serve as reference examinations for the evaluation of the efficacy of systemic
71	treatments. Indeed, the prognosis of MS depends essentially on the initial context in
72	which it is diagnosed (age, presence or not of AML)[5]. MS management is based on
73	the rapid introduction of systemic chemotherapy, surgery being only a catch-up
74	solution in case of persistent tumour remnants at the end of treatment.
75	
76	Keywords : Myeloid sarcoma, Chloroma, Acute Myeloid Leukaemia ;
77	Extramedullary; Oral tumors.
78	
79	
80	Conflict of Interest Statement: None
81	
82	
83	
84	
85	
86	
87	
88	
89	

91 **References**

92

- 93 [1] Ficarra G, Silverman S, Quivey JM, Hansen LS, Giannotti K. Granulocytic
- sarcoma (chloroma) of the oral cavity: A case with aleukemic presentation. Oral
- 95 Surgery, Oral Medicine, Oral Pathology 1987;63:709–14.
- 96 https://doi.org/10.1016/0030-4220(87)90375-6.

97

- 98 [2] Siraj F, Kaur M, Dalal V, Khanna A, Khan AA. Myeloid sarcoma: a report of
- 99 four cases at unusual sites. Ger Med Sci 2017;15. https://doi.org/10.3205/000244.

100

- 101 [3] Roby BB, Drehner D, Sidman JD. Granulocytic sarcoma of pediatric head and
- neck: An institutional experience. International Journal of Pediatric
- Otorhinolaryngology 2013;77:1364–6. https://doi.org/10.1016/j.ijporl.2013.06.008.

104

- 105 [4] Papamanthos MK, Kolokotronis AE, Skulakis HE, Fericean A-MA, Zorba MT,
- 106 Matiakis AT. Acute Myeloid Leukaemia Diagnosed by Intra-Oral Myeloid Sarcoma.
- 107 A Case Report. Head Neck Pathol 2010;4:132–5. https://doi.org/10.1007/s12105-
- 108 010-0163-9.

109

- 110 [5] Avni B, Koren-Michowitz M. Myeloid Sarcoma: Current Approach and
- 111 Therapeutic Options. Ther Adv Hematol 2011;2:309–16.
- https://doi.org/10.1177/2040620711410774.

113

114	Captions to illustrations
115	
116	Figure 1 : Clinical view of the palatine swelling
117	
118	Figure 2: Coronal T1 with gadolinium MRI acquisition showing the palatine mass of 32mm

diameter whithout mass effect.



